



TITLE:

Vol.26表紙・総目次・正誤表

AUTHOR(S):

---

CITATION:

Vol.26表紙・総目次・正誤表. PUBLICATIONS OF THE SETO MARINE BIOLOGICAL LABORATORY 1981, 26(4-6)

ISSUE DATE:

1981-09-30

URL:


<http://hdl.handle.net/2433/176026>

RIGHT:

KYOTO UNIVERSITY

PUBLICATIONS  
OF THE SETO MARINE  
BIOLOGICAL LABORATORY

Volume XXVI



PUBLISHED BY THE LABORATORY  
SHIRAHAMA, WAKAYAMA, JAPAN  
1981

## CONTENTS

### Nos. 1/3 (March 1981)

|  |     |
|--|-----|
| 1. <b>Morino, H.:</b> Studies on the Talitridae (Amphipoda, Crustacea) in Japan IV. The development of gnathopod II in <i>Orchestia platensis</i> Krøyer. ....                           | 1   |
| 2. <b>Irimura, S.:</b> Ophiurans in Tanabe Bay and its vicinity, with descriptions on new species of Gen. <i>Ophiocentrus</i> . ....   | 15  |
| 3. <b>Cutler, E.B. &amp; Cutler, Norma J.:</b> A reconsideration of Sipuncula named by I. Ikeda and H. Sato. ....  | 51  |
| 4. <b>Kuwamura, T.:</b> Life history and population fluctuation in the labrid fish, <i>Labroides dimidiatus</i> , near the northern limit of its range. ....                             | 95  |
| 5. <b>Nishikawa, T.:</b> On a specimen of <i>Branchiostoma moretonensis</i> Kelly, 1966 from the Arafura Sea. ....   | 119 |
| 6. <b>Kobayashi, N.:</b> Comparative toxicity of various chemicals oil extracts and oil dispersant extracts to Canadian and Japanese sea urchin eggs. ....                               | 123 |
| 7. <b>Nishikawa, T.:</b> Considerations on the taxonomic status of the lancelets of the genus <i>Branchiostoma</i> from the Japanese waters. ....  | 135 |
| 8. <b>Yokoyama, H.:</b> Larval development of a spionid polychaete <i>Paraprionospio pinnata</i> (Ehlers). ....  | 157 |
| 9. <b>Cordero, P.A., Jr.:</b> Phycological observations — XIV: <i>Acrocystis nana</i> Zanardini, a new algal record for the Philippines. ....  | 171 |
| 10. <b>Kuroda, K.:</b> A new chaetognath, <i>Eukrohnia kitoni</i> n. sp., from the entrance to Tokyo Bay. ....   | 177 |
| 11. <b>Nishikawa, T.:</b> Contributions to the Japanese ascidian fauna XXXV. Record of <i>Bathypora ovoida</i> (Ritter, 1907) from Sagami Bay. ....                                      | 187 |
| 12. <b>Shigei, M.:</b> A study of the echinoid fauna of the East China Sea and the coastal waters of southern Korea, Kyushu, Ryukyu and Taiwan. ....                                     | 191 |
| 13. <b>Wada, K.:</b> Growth, breeding, and recruitment in <i>Scopimera globosa</i> and <i>Ilyoplax pusillus</i> (Crustacea: Ocypodidae) in the estuary of Waka River, middle Japan. .... | 243 |

### Nos. 4/6 (September 1981)

|   |     |
|---|-----|
| 14. <b>Murano, M.:</b> Mysidacea from the central and western Pacific V. Genera <i>Heteroerythrops</i> , <i>Meierythrops</i> , <i>Pleurerythrops</i> , <i>Gibberythrops</i> , <i>Illigiella</i> , <i>Pseudamblyops</i> , <i>Paramblyops</i> , <i>Dactylerythrops</i> and <i>Nakazawai</i> (Tribe Erythropini). .... | 261 |
| 15. <b>Yokoyama, H. &amp; Tamai, K.:</b> Four forms of the genus <i>Paraprionospio</i> (Spionidae: Polychaeta) from Japan. ....   | 303 |
| 16. <b>Cordero, P.A., Jr.:</b> Some sea grasses from the Philippines. ....  | 319 |

|     |   |     |
|-----|---|-----|
| 17. | <b>Imafuku, M.:</b> Tidal activity rhythm of the hermit crab, <i>Pagurus geminus</i> McLaughlin. ....   | 327 |
| 18. | <b>Nishikawa, T.:</b> Contributions to the Japanese ascidian fauna XXXV. <i>Molgula hozawai</i> Oka, 1932 and <i>M. verrucifera</i> Ritter and Forsyth, 1917, with special reference to the funnel-like structure within the spihon. .... | 337 |
| 19. | <b>Saito, Y., Mukai, H. &amp; Watanabe, H.:</b> Studies on Japanese compound styelid ascidians I. Two new species of <i>Botryllus</i> from the vicinity of Shimoda. ....  | 347 |
| 20. | <b>Saito, Y., Mukai, H. &amp; Watanabe, H.:</b> Studies on Japanese compound styelid ascidians II. A new species of the genus <i>Botrylloides</i> and redescription of <i>B. violaceus</i> Oka. ....                                      | 357 |
| 21. | <b>Iwata, F. &amp; Konishi, K.:</b> Larval development in laboratory of <i>Cancer amphioetus</i> Rathbun, in comparison with those of seven other species of Cancer (Decapoda, Brachyura). ....   | 369 |
| 22. | <b>Kitazima, Y.:</b> Three new species of the genus <i>Phyllopodopsyllus</i> (Copepoda, Harpacticoida) from the Inland Sea of Japan. ....   | 393 |
| 23. | <b>Kawamura, K. &amp; Watanabe, H.:</b> Studies on Japanese compound styelid ascidians III. A new, possibly asexual <i>Polyandrocarpa</i> from Shimoda Bay. ....  | 425 |
| 24. | <b>Ohgaki, S.:</b> Spawning activity in <i>Nodilittorina exigua</i> and <i>Peasiella roepstorffiana</i> (Littorinidae, Gastropoda). ....  | 437 |
| 25. | <b>Wada, K.:</b> Wandering in <i>Scopimera globosa</i> (Crustacea: Ocypodidae). ....  | 447 |

### **CORRIGENDA**

VOLUME XXVI, Nos. 1/3, ARTICLE 13 (K. WADA). In the legend for Figure 7 on page 251, 'the open circle' and 'the triangle' on line 5 should be replaced each other and should be read as: "... The triangle and the open circle in *S. globosa*..."

# CORRIGENDA

VOLUME XXVI, Nos. 4/6, ARTICLE 21 (F. IWATA & K. KONISHI). Following corrections should be made.

| Page | Table   | Line                           | For            | Read            |
|------|---------|--------------------------------|----------------|-----------------|
| 384  | VI      | <i>C. gracilis</i> ; E         | 1-1, 1, 6-7, 9 | 1, 1, 1, 6-7, 9 |
| 386  | VII(A)  | <i>C. anthonyi</i> ; Megalopa  | 26-38          | 26-28           |
| 387  | VIII(A) | <i>C. irroratus</i> ; V        | 18(19+8)       | 18(10+8)        |
|      | VIII(B) | <i>C. anthonyi</i> ; V         | 7(4+3)         | 8(4+4)          |
|      | VIII(C) | <i>C. gracilis</i> ; V         | 23-27          | 33-36           |
|      |         | <i>C. antennarius</i> ; V      | 24             | 34-35           |
|      |         | <i>C. anthonyi</i> ; V         | 22-26          | 32-36           |
|      |         | <i>C. productus</i> ; Megalopa | 62-124         | 62-64           |
| 389  | X(B)    | <i>C. magister</i> ; V         | 1, 1, 1        | 1, 1, 1, 1      |